# KRATON

# SAFETY DATA SHEET

1. Identification

Product identifier Kraton™ G Polymers (SEBS and SEBS OE)

Other means of identification

SDS number 14361

Product Code A1535, A1536, G1633, G1640, G1641, G1642, G1643, G1645, G1650, G1651, G1652, G1654,

G1657, G1660, G1726, G4609, G4610, E1830

Synonyms This SDS covers all alphanumeric suffixes for the following products. Suffixes designate location

of manufacture, dusting agent, product form. \* It also includes all SQRs such as SQR 1111 for

cosmetic use.

**Recommended use** Industrial use **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**CORPORATE OFFICE** 

Name Kraton Polymers LLC

Address 15710 John F Kennedy Blvd., Suite 300

City/State Houston, TX 77032, USA

**Telephone** +1 281 504 4700

**EUROPEAN CENTRAL OFFICE** 

Name Kraton Polymers Nederland B.V.

Address Transistorstraat 16

City/State 1322 CE Almere, The Netherlands

**Telephone** +31 (0) 36 546 2846

Email address Product.Safety@Kraton.com

**Technical Support Line -** +1 800 4 Kraton (572866); +1 281 504 4950

International

**Technical Support Line -** +31 (0) 36 546 2800

Tech

Website www.Kraton.com

CHEMTREC - Domestic: +1 800 424 9300
CHEMTREC - International: +1 703 527 3887
SGS ECLN: +32 35 75 03 30

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not applicable.

Material name: Kraton™ G Polymers (SEBS and SEBS OE)MSDS/SDS # 14361sps usVersion #: 1.4Revision date: 10-23-2017Print date: 10-23-20171 / 7

**Precautionary statement** 

Prevention Not applicable. Response Not applicable. **Storage** Not applicable. Disposal Not applicable.

Hazard(s) not otherwise

classified (HNOC)

Static charge accumulation potential.

Supplemental information

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	
Styrene-Ethylene/Butylene-Styrene Polymer (SEBS)		66070-58-4	<100	

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Dusts may irritate the respiratory tract, skin and eyes. Prolonged contact may cause dryness of the

skin.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. No specific antidotes are recommended.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water spray, dry chemical, carbon dioxide.

Do not use water jet.

Specific hazards arising from

the chemical

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

weight hydrocarbons.

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions Wear suitable protective equipment. Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

If spilled, may cause a slipping hazard. Avoid dust formation. Wear appropriate personal protective equipment. Keep away from sources of ignition - No smoking. Ensure adequate ventilation.

Methods and materials for containment and cleaning up **Environmental precautions** 

Collect and dispose of spillage as indicated in section 13 of the SDS. Avoid the generation of dusts during clean-up. The product is immiscible with water and will spread on the water surface.

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Avoid heat, sparks, open flames and other ignition sources. Do not smoke. Static electricity and formation of sparks must be prevented. Ground container and transfer equipment to eliminate static electric sparks. Maintain a fire watch if material reaches 280°C (536°F). Avoid contact with hot material. Do not breathe dust from this material. Observe good industrial hygiene practices.

Material name: Kraton™ G Polymers (SEBS and SEBS OE) MSDS/SDS # 14361 SDS US 2/7 Version #: 1.4 Revision date: 10-23-2017 Print date: 10-23-2017

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. To maintain product quality, do not store in heat or direct sunlight. Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Guard against dust accumulation of this material. Store away from incompatible materials (see Section 10 of the SDS). Do not stack Flexible Intermediate Bulk Containers (FIBCs) or palletized bags. Avoid storage under pressure or at elevated temperatures to minimize particulate clustering.

## 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Additional components	Туре	Value	Form
Organic Dust	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Silica, amorphous	TWA	0.8 mg/m3	
		20 mppcf	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Additional components	Туре	Value	
Silica, amorphous	TWA	6 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes

that may be generated during handling or thermal processing.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Gloves are recommended for prolonged use. When handling hot material, use heat resistant

gloves.

Other Wear suitable protective clothing and gloves.

**Respiratory protection** If ventilation is insufficient, suitable respiratory protection must be provided.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

Form Dense Pellet. Crumb. Powder.

Color Clear. White.

Odor Odorless.

Odor threshold Not available.

pH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable.

range

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) The product is not flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not applicable.

(%)

Flammability limit - lower Not applicable.

(%) temperature

Material name: Kraton™ G Polymers (SEBS and SEBS OE)MSDS/SDS # 14361sps usVersion #: 1.4Revision date: 10-23-2017Print date: 10-23-20173 / 7

Flammability limit - upper

Not applicable.

Flammability limit - upper

(%) temperature

Not applicable.

Explosive limit - lower (%)

Not applicable. Explosive limit - upper (%) Not applicable.

Not applicable. Vapor pressure Not applicable. Vapor density 0.88 - 0.95 at 20°C Relative density

Solubility(ies)

Insoluble. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Explosive properties** Not explosive. Not available. Oxidizing properties

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

Risk of self-heating and self-ignition under long term exposure to high temperatures. No

dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

Strong acids, alkalies and oxidizing agents. Incompatible materials

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation of vapors/fumes generated by heating this product may cause respiratory irritation with Inhalation

throat discomfort, coughing or difficulty breathing. Inhalation of dusts may cause respiratory

irritation.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Health injuries are not known or expected under normal use. Dust in the eyes will cause irritation.

Fumes released during thermal processing may cause eye irritation.

Health injuries are not known or expected under normal use. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

**Acute toxicity** Not classified.

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS) USP Systemic Toxicity Study in Mice - Extract:, No significant

and/or relevant adverse effects reported.

Skin corrosion/irritation Not classified.

Irritation Corrosion - Skin

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS) USP Intracutaneous Study in Rabbits – Extract:

Result: Negative.

Serious eye damage/eye

irritation

No data available.

Respiratory or skin sensitization

Respiratory sensitization No data available. Skin sensitization Not classified.

Material name: Kraton™ G Polymers (SEBS and SEBS OE) MSDS/SDS # 14361 SDS US 4/7 Version #: 1.4 Revision date: 10-23-2017 Print date: 10-23-2017

Germ cell mutagenicity Not classified.

Mutagenicity

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS) In Vitro Bacterial Mutagenicity Study in E.Coli and

S.Typhimurium from extract.

Result: Negative.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

**Further information** 

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS)

In Vitro Haemolysis Study in Red Blood Cells, Japanese MHLW:,, No significant and/or relevant adverse effects

reported.

USP Muscle Implantation Study in Rabbits – 7 Day:, No significant and/or relevant adverse effects reported.

12. Ecological information

**Ecotoxicity**Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Persistence and degradability Not inherently biodegradable.

Bioaccumulative potential The product is not bioaccumulating.

Mobility in soilNo data available.Other adverse effectsNot available.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Not applicable.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

**US** federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Material name: Kraton™ G Polymers (SEBS and SEBS OE)MSDS/SDS # 14361sps usVersion #: 1.4Revision date: 10-23-2017Print date: 10-23-20175 / 7

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

NFPA ratings Health: 0

Flammability: 1 Instability: 0

Not regulated.

**NFPA** ratings



## 16. Other information, including date of preparation or last revision

 Issue date
 08-17-2017

 Revision date
 10-23-2017

 Version #
 1.4

**Further information** For more information about processing precautions, consult the Kraton Polymers Data Documents,

Static Electricity Bulletin (Document Number K0073), or other technical literature available from

 $your \ Sales \ Representative.$ 

Material name: Kraton™ G Polymers (SEBS and SEBS OE)MSDS/SDS # 14361sps usVersion #: 1.4Revision date: 10-23-2017Print date: 10-23-20176 / 7

#### **Disclaimer**

KRATON CORPORATION urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information set forth in this document, as of the date of this document, is based on present knowledge, obtained from reliable sources and made to our reasonable ability and in good faith. Such information is made without any warranty or guarantee whatsoever, and shall establish no legal duty or responsibility on the part of the author(s), their employer or its affiliates. The information given is designed only as guidance and its completeness is not guaranteed. The information is not a guarantee of any specific product properties, features, qualities or specifications.

The information relates only to the specific product designated as shipped, and may not be valid for such product used in combination with any other materials or products, or in any process, unless expressly specified in this document. Nothing set forth in this document shall be construed as a recommendation or license to use any product in conflict with, or as claimed by, any existing patents rights. The user alone must finally determine whether a contemplated use of a product will infringe any such patents. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities are in compliance with all Local, Federal and International Legislation and Local Permits.

We, for ourselves and on behalf of our affiliates, expressly disclaim any and all liability for any damages or injuries arising out of any activities relating in any way to the information set forth in this document. Due to the proliferation of sources for information, we are not and cannot be responsible for SDSs obtained from any other source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

\*KRATON, the KRATON logo, the "Green Super Drop" logo, 1101, ABIETA, AQUATAC, CARIFLEX, CENTURY, CENWAX, ELEXAR, E-LEXAR, , IPD, NEXAR, SYLFAT, SYLVABLEND, SYLVACOTE, SYLVAFUEL, SYLVAGUM, SYLVALITE, SYLVAMIN, SYLVAPINE, SYLVAPRINT, SYLVARES, SYLVAROAD, SYLVAROS, SYLVASOL, SYLVATAC, SYLVATAL, SYLVATRAXX, UNICLEAR, UNIDYME, UNIFLEX, UNI-REZ, UNI-TAC, and ZONATAC are either trademarks or registered trademarks of Kraton Corporation, or its subsidiaries or affiliates, in one or more, but not all countries.

©2016 Kraton Corporation

**Revision information** 

Product and Company Identification: Product and Company Identification

Regulatory information: Japan Fire Prevention Ordinance

HazReg Data: Europe - EU

Material name: Kraton™ G Polymers (SEBS and SEBS OE)MSDS/SDS # 14361sps usVersion #: 1.4Revision date: 10-23-2017Print date: 10-23-20177 / 7